

VECTOR 2500 CENTER CONSOLE



DIMENSIONS	STANDARD	METRIC
Length	24'10"	7.57m
Beam	8'10"	2.69m
*Dry weight (approx.)	5474 lbs.	2483kg
Draft-engine up (approx.)	21"	53.34cm
Deadrise	23°	
Maximum horsepower	500 hp	373kg
Weight capacity	10 persons or 1442 lbs.	
Fuel capacity	176 gal.	667L
Fresh water capacity	15 gal.	57L
Bridge clearance with T-top (approx.)	8'0"	2.43m

*Dry weight calculated does not include engine(s).
 Dry weight will vary with engine and options installed.

PERFORMANCE** w/Twin Yamaha F 225 4-stroke

Top speed	59.7 mph @ 6000 rpm
Best cruise speed	40.5 mph @ 4000 rpm
Range at best cruise speed**	350 miles

**Performance and fuel consumption will vary and be affected by water and weather conditions, altitude, load and condition of boat, engine, and propeller(s). Cruise range based on 95% fuel capacity. All data is illustrative and is not warranted. This test done with clean bottom, no bottom paint, and light to average load.

Specifications, options, and equipment are subject to change without notice.

STANDARD FEATURES

10/3 Limited warranty

CONSTRUCTION

All composite (wood-free) structure
 Hand-laid fiberglass lamination utilizing premium gelcoat finish, bi-axial fabric, woven roving and Kevlar® reinforcement
 Integrated Structural Grid system constructed of fiberglass, bonded to hull with methacrylate adhesive and injected with urethane foam
 Integral composite transom

HULL AND DECK

Anchor locker - self-draining
 Bow and stern eyes - stainless steel
 Cleats - stainless steel pop-up (6)
 Foam flotation - basic
 Forward rail - recessed - aluminum
 Heavy duty dive ladder - removable
 Heavy duty gunwale trim
 Pop-up bow light - stainless steel
 Rod holders - (4) stainless steel - gunwale mount
 Swim platform - integrated
 Thru hull fittings - bronze (below waterline)
 Thru hull fittings - stainless steel (above waterline)

VECTOR 2500 CENTER CONSOLE

STANDARD FEATURES Continued

COCKPIT

Aft seat with bolster
Cockpit bolsters
Courtesy lights
Drink holders - stainless steel
Drop out double bolster seat
Fish boxes (2) fwd - insulated with reinforced hatches and overboard drains
Kodiak baitwell 32 gal w/1100 gph pump
Poly cutting board - removable
Rod storage under gunwale - port/stbd
Self-draining cockpit with oversized scuppers and diamond pattern skid resistant deck
Shower - hand-held cold water
Sink - aft transom
Storage compartments
Tilt out tackle storage (2 drawers)
Toe kick rail under gunwale port/stbd
T-Top - FRP with plate to accept outriggers, 5 rod holders, electronics box with red/white domed light and spreader lights (3) **(new)**
Transom Door

CONSOLE & HELM STATION

Accessory plugs (3) - 12 volt
Battery storage with trays (concealed)
Compass
Console access door
Console cover
Electronics accessory fuse box with ground at helm
Forward console FRP cooler seat - (Frigid Rigid) **(new)**
Full instrumentation
Glove box - lockable
Head compartment ventilated with portable toilet
Headliner - FRP
Horn
Steering wheel custom aluminum with knob
Switch panel with water resistant switches and 3 accessory switches
VHF Radio - Ray 54 flush mount
Windscreen - tempered glass

ENGINE & SYSTEMS

Bilge pump automatic - (1) 800 gph fwd, (1) 1500 gph aft
Dual battery system with master switch (2 battery trays per engine)
Electrical - grounded 12 volt system with water tight circuit breakers and connections
Fuel tank - aluminum
Fuel/water separators
Grounding System - Dynaplate
Hoses - steel reinforced and double clamped throughout
Hydraulic tilt steering (dual ram w/twin application)
Navigation lights
Oil tank(s) with remote fill (2-stroke only)
Outboard motors - factory rigged
Pressurized fresh water system 9 gal with deck fill, pump and cold water
Propellers - stainless steel
Raw water washdown system
Sealed aft deck hatch with access to pump room
Submersible rated electrical connectors
Trim Tabs - electric with indicators - 14 x 18

VECTOR 2500 CENTER CONSOLE

OPTIONAL EQUIPMENT

- Aft facing cooler seat (Frigid Rigid) (optional baitstation not available) **(new)**
- Aft rod holders (3) - gold - transom mount
- Baitstation - w/Kodiak baitwell (40 gal) and prep area with flip up lean post seat (replaces standard bolster seat); (Aft facing seat option not available)
- Bow cushions
- Canada certification
- CE certification (for export only)
- Engine cowling cover - Sunbrella™ with logo (Yamaha F 150, F 200, F 225, F 250, Z 300 engines only) (Available through parts department only)
- Marine head with 9 gal holding tank and dockside pumpout
- Outriggers - Taco Grand Slam - top mount
- Overboard discharge for marine head
- Sealed battery charger - 30 amp
- Sirius satellite radio system - Clarion AM/FM CD player;
Sirius satellite radio receiver, antenna and 4 speakers
- T-Top canvas enclosure - 3 sided - 30 gauge sheet glass
- T-Top delete
- Underwater lights (2) **(new)**

*RAY MARINE C I 20 ELECTRONICS PACKAGE

- 12.1" color display, chartplotter and HDFI fishfinder.
- *Unit is radar ready - additional components required

HULLSIDE COLOR OPTIONS

(see back of book for additional options)

- | | |
|----------------------|---------------|
| Atlantic Blue | Gravity Black |
| Fighting Lady Yellow | Midnight Blue |
| Glacier Blue | Platinum Gray |

ENGINE OPTIONS

- | | |
|----------------------------|----------------------------------|
| Yamaha F 250 4-stroke | Mercury 250 Verado 4-stroke |
| Yamaha Z 300 HPDI | Mercury 275 Verado 4-stroke |
| Twin Yamaha F 150 4-stroke | Twin Mercury 200 Verado 4-stroke |
| Twin Yamaha F 200 4-stroke | Twin Mercury 225 Verado 4-stroke |
| Twin Yamaha F 225 4-stroke | Twin Mercury 250 Verado 4-stroke |
| Twin Yamaha F 250 4-stroke | |
| Evinrude 250 E-Tec | |
| Twin Evinrude 150 E-Tec | |
| Twin Evinrude 200 E-Tec | |
| Twin Evinrude 225 E-Tec | |
| Twin Evinrude 250 E-Tec | |